

## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



714  
4

# Tobacco Stocks Report

## as of January 1, 1952




U. S. DEPARTMENT OF AGRICULTURE  
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.  
February 20, 1952

### CONTENTS

	Page
Discussion - - - - -	1 - 3
Conversion factors for adjusting for losses in weight - - - - -	4
Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent- - - - -	5
Stocks of leaf tobacco, by types and groups of grades - - - - -	6-13
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - -	14
Stocks of leaf tobacco, summary by types - - - - -	15

Agriculture - Washington



## EXPLANATION OF GROUP SYMBOLS

### GROUPS OF TYPES 11, 12, 13, and 14:

- A-Wrappers
- B-Leaf and smoking leaf
- C-Cutters
- X-Lugs and primings
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 21, 22, 23, and 24:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 31:

- A-Wrappers
- B-Bright leaf, red leaf, and tips
- C-Lugs and cutters
- X-Trash and flyings
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 32:

- B-Heavy leaf or dull crop
- C-Thin leaf or bright crop
- X-Seconds and ground leaves
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 35, 36, and 37:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 41:

- B-Binders or tops
- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 42, 43, and 44:

- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 46:

- C-Superior
- X-Inferior
- Y-Defectuoso
- S-Scrap (Picadura)
- N-Nondescript

### GROUPS OF TYPES 51, 52:

- A-Wrappers
- B-Binders, seconds, and brokes
- C-Fillers and short darks
- X-Stemming grades
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 53:

- B-Binders, seconds, and brokes
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 54 and 55:

- B-Binders
- C-Fillers
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

### GROUPS OF TYPE 56:

- B-Binders
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 61 and 62:

- A-Wrappers
- B-Stout wrappers and binders
- C-Fillers or tips
- S-Scrap
- N-Nondescript

### GROUPS OF TYPES 81, 82, and 83:

- A-Wrappers
- C-Fillers
- S-Scrap

## STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

### Total Leaf Tobacco Stocks Up

Leaf tobacco inventories reported on hand by dealers and manufacturers in the United States and Puerto Rico totaled 4,273<sup>1/</sup> million pounds (farm-sales-weight) as of January 1, 1952.<sup>2/</sup> This is 283 million pounds or about 7 percent higher than stocks reported on the same date last year. The 1951 crop of around 2,300 million pounds was over 80 percent marketed by January 1, 1952. Sales of the flue-cured crop were completed in December and a considerable part of the 1951 Burley production had been marketed before January 1.

For the southern types, holdings of flue-cured leaf as of January 1, 1952, increased 9 percent compared with January 1 a year ago, Burley stocks were up 6 percent, and Maryland 11 percent. Inventories of fire-cured leaf were down 9 percent from a year earlier while stocks of dark air-cured showed an increase compared with the previous January 1. For the cigar leaf types, stocks of the filler types were 5 percent larger than a year earlier, binder types increased 8 percent and shade-grown was up 6 percent. For the foreign-grown types holdings of both cigarette tobacco (Turkish and other), and foreign-grown cigar leaf were larger than on the previous January 1.

---

1/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

2/ The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.



CIGARETTE-LEAF STOCKS

Stocks at Record Levels As of January 1.

Marketing of the record size 1951 flue-cured tobacco crop was completed in December with producer sales amounting to around 1,450 million pounds. Stocks of flue-cured leaf in the hands of dealers and manufacturers as of January 1, 1952 were raised to the record level of 2,268 million pounds - an increase of 178 million compared with a year earlier.

Burley tobacco stocks totaled 1,188 million pounds as of this January 1 compared with 1,119 million the previous year. The Burley auction markets opened in late November. From then until January 1 sales totaled about 395 million pounds or about 65 percent of the estimated 1951 crop.

Stocks of Maryland tobacco were 59.3 million pounds as of January 1, 1952 which represented an increase of 5.9 million compared with the same quarter last year. During the October-December 1951 quarter about 1.2 million pounds entered stocks through deliveries of growers to the hogshead market.

Holdings of foreign-grown cigarette and smoking tobacco (Turkish and other) Type 90 continued to increase, totaling 169.7 million pounds compared with 150.3 million the previous January 1.

DARK TOBACCO STOCKS

Lower Holdings of Fire-cured Leaf;  
Dark Stocks Higher Because of More Rapid Marketings

Fire-cured tobacco stocks showed a significant decrease compared with the previous January 1. Most of the reduction was reflected in holdings of Type 23, although Type 22 stocks were slightly lower, whereas more Type 21 leaf was on hand compared with a year earlier. Total stocks of fire-cured tobacco were 137.0 million pounds consisting of 26.6 million of Virginia fire-cured, 83.1 million of Eastern District Kentucky and Tennessee fire-cured, 27.0 million of Western District fire-cured, and 0.3 million of Henderson Stemming. The Virginia fire-cured markets opened in December and 5.5 million pounds had been marketed prior to this January 1. The Type 22 and Type 23 markets did not open until January.

The dark air-cured tobacco markets opened in November and 17.0 million pounds were sold during the November-December period. Only 5.2 million pounds were marketed during the corresponding period from the previous crop. Because of the more rapid marketing of the 1951 crop, stocks of dark air-cured leaf of 77.3 million as of January 1, 1952 were up slightly from this quarter last year. Holdings of One Sucker tobacco this January 1 were 41.3 million pounds, Green River 32.8 million and Virginia sun-cured 3.1 million.

CIGAR LEAF STOCKS

Stocks of Most Cigar Types Show Increase

Stocks of all types of domestic cigar-leaf tobacco including Puerto Rican as of January 1, 1952, totaled 352.3 million pounds (farm-sales-weight) - an increase of 20.9 million pounds compared with a year earlier. Holdings of most types showed increases although stocks of Puerto Rican filler and Connecticut Valley Shade were lower. Inventories of foreign-grown cigar-leaf amounted to 18.4 million pounds as against 16.1 million on hand the previous January 1.

Cigar-filler stocks were reported as 183.3 million pounds on January 1, 1952 of which 115.5 million pounds were Pennsylvania Seedleaf; 28.6 million Ohio filler; and 39.2 million Puerto Rican filler. Of the Puerto Rican stocks 16.2 million were in Puerto Rico. Cigar filler stocks were 8.9 million pounds larger than on the same date last year. Increases in stocks of the Pennsylvania and Ohio filler types more than compensated for a decrease in holdings of Puerto Rican leaf.

Cigar-binder stocks totaled 141.3 million pounds compared with 131.0 million the previous January 1. Connecticut Valley Broadleaf stocks were 31.3 million pounds this January 1. Connecticut Valley Havana Seed was 30.6 million. New York and Pennsylvania Havana Seed 1.7 million, Southern Wisconsin 36.0 million, and Northern Wisconsin 41.6 million. Based on changes in stocks, it appears that part of the 1951 crop of Connecticut Valley Broadleaf and Havana Seed moved into the hands of dealers prior to January 1.

Shade-grown stocks were 27.7 million pounds as of January 1, 1952 - an increase of about 1.7 million compared with holdings a year earlier. All of the increase represented larger inventories of Type 62 which more than balanced a slight decrease in stocks of Type 61. Stocks of Connecticut Valley Shade were 16.8 million pounds and Georgia-Florida Shade 10.9 million pounds.

Stocks of Cuban leaf were reported as 17.1 million pounds compared with 15.1 million for this quarter last year. Holdings of Sumatra and Java leaf totaled 0.7 million pounds and Philippine Islands (Manila) leaf 0.6 million.

Table 1.--Average percentage of weight remaining after handling, sweating, drying, and stemming for all types of tobacco, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent 1/

SOUTHERN TYPES (11-37)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by	
		Packed in domestic order				Yield from:				to convert reported stocks	
		To the end of:				actual				Stemmed: Unstemmed stocks	
		Packed	One year	Two years	Three years	Packed	Yield from	Yield from	Yield from	Stemmed	Unstemmed
		weight	in storage	in storage	in storage	weight	weight	weight	weight	stocks to	weight equiv-
						order	operation	operation	operation	equivalent	alent 2/
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent		
Blue-cured	11-14	90.0	89.1	88.7	88.7	88.0	78.0	69.0	1.282	1.12	
Virginia fire-cured	21	85.0	84.2	83.4	83.0	83.0	77.0	64.0	1.299	1.18	
Tenn. & Ky. fire-cured	22-23	98.5	94.6	92.7	91.8	95.0	76.0	69.5	1.316	1.04	
Henderson Stemming	24	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.125	
Burley	31	90.0	88.2	87.3	86.4	89.0	74.0	64.0	1.351	1.12	
Southern Maryland	32	100.0	96.0	94.1	93.2	100.0	74.0	69.0	1.351	1.02	
One Sucker	35	92.0	90.2	88.8	87.9	90.0	70.0	61.5	1.429	1.09	
Green River	36	90.0	87.3	86.0	85.1	86.0	76.0	64.5	1.316	1.13	
Virginia sun-cured	37	89.0	88.1	87.2	86.8	85.0	76.0	66.0	1.316	1.13	

CIGAR LEAF TYPES (41-62)

Type	No.	Yield realized from farm-sales weight to:				Stemming				Factors used to multiply by	
		To the end of:				Yield from:				to convert reported stocks	
		One year				actual				Stemmed: Unstemmed stocks	
		in storage	Two years	Three years	Three years	weight	weight	weight	weight	stocks to	weight equiv-
						time of	time of	time of	time of	equivalent	alent
		Percent	Percent	Percent	Percent	operation	operation	operation	operation		
Pennsylvania Seedleaf:	41	97.3	86.0	84.0	82.0	80.6	72.0	58.0	1.387	(4)	
Gebhardt	42	(3)	85.6	83.3	80.9	79.3	73.0	58.0	( )	(4)	
Zimmer	43	(3)	85.4	83.0	80.8	78.9	71.5	56.5	(1.387	(4)	
Dutch	44	(3)	86.5	84.1	81.7	80.0	70.5	56.5	( )	(4)	
Puerto Rico	46	88.0	87.1	83.6	82.0	—	78.5	64.5	1.275	1.17	
Connecticut Broadleaf	51	97.0	87.4	85.4	83.1	81.1	77.5	62.5	1.292	(4)	
Connecticut Havana Seed	52	97.0	87.4	85.0	83.1	81.2	77.0	62.5	1.299	(4)	
N. Y. & Pa. Havana Seed	53	91.0	84.6	82.9	80.9	79.7	73.5	58.5	1.364	(4)	
Southern Wisconsin	54	96.3	83.1	81.5	79.1	77.9	77.0	59.5	1.300	(4)	
Northern Wisconsin	55	93.7	83.8	82.4	80.6	79.2	75.0	59.0	1.333	(4)	
Ga. & Fla. binder	56	82.5	80.8	78.8	77.2	75.7	78.5	59.0	1.275	(4)	
Connecticut Shade	61	91.1	88.7	86.3	84.4	83.0	81.5	67.5	1.224	(4)	
Ga. & Fla. Shade	62	89.1	87.3	84.5	82.3	80.6	83.0	67.0	1.205	(4)	

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

Type	No.	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Miscellaneous Domestic	72-73	--	--	--	--	--	--	--	--	5 1.333	5 1.09
Foreign-grown cigar leaf	81-84	--	--	--	--	--	--	--	--	5 1.205	(6)
Foreign-grown cigarette and smoking tobacco	90	--	--	--	--	--	--	--	--	5 1.205	(6)

1 Information in this table taken from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. 2 Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage. 3 Ohio-Miami Valley filler types of tobacco packed in cases by growers before delivery. 4 See footnote 1 on page 5 for conversion factor to the farm-sales weight equivalent. 5 Tentative factor. 6 Factor has not been determined.



Table 2.—Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, January 1, 1952, compared with other quarters <sup>1/</sup>

# FARM-SALES WEIGHT

Type name	U.S. type number	January 1,			October 1,	July 1,	April 1,
		1952	1951	1950	1951	1951	1951
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue cured	11-14	2,267,619	2,089,937	1,992,703	1,935,268*	1,557,534	1,796,255
Virginia fire-cured	21	26,557	22,936	22,985	24,654	27,017	28,698
Tennessee and Kentucky fire-cured (Eastern District)	22	83,078	85,108	83,394	90,681*	96,972	105,557
Kentucky and Tennessee fire-cured (Western District)	23	26,999	42,405	41,213	31,587	35,480	43,314
Henderson Stemming	24	330	347	312	330	330	345
Total Fire-cured	21-24	136,964	150,796	147,904	147,252*	159,799	177,914
Burley	31	1,188,169	1,119,367	1,139,960	981,271*	1,119,632	1,241,004
Low-nicotine	31-V	602	758	429	734	740	750
Southern Maryland	32	59,269	53,370	45,547	64,324	52,237	46,661
Total Light Air-cured	31-32*	1,248,040	1,173,495	1,185,936	1,046,329*	1,172,609	1,288,415
One Sucker	35	41,337	39,138	37,912	37,984*	43,936	49,296
Green River	36	32,807	32,874	33,556	30,960	32,937	36,510
Virginia sun-cured	37	3,141	3,138	3,328	2,813	3,607	4,334
Total Dark Air-cured	35-37	77,285	75,150	74,796	71,757*	80,480	90,140
Pennsylvania Seedleaf	41	115,486	104,019	99,467	126,226*	136,094	133,062
Ohio Filler (Miami Valley)	42-44	28,627	27,212	23,539	31,154	34,550	34,305
Puerto Rican:							
In United States	46	23,068	29,327	29,461	20,972*	21,877	26,725
In Puerto Rico	46	16,154	13,839	14,892	26,814	34,896	17,425
Total Cigar-Filler	41-46	183,335	174,397	167,359	205,166*	227,417	211,517
Connecticut Valley Broadleaf	51	31,349	27,744	26,601	29,832*	32,174	31,987
Connecticut Valley Havana Seed	52	30,561	25,390	23,986	27,270*	30,278	34,006
New York and Pa. Havana Seed	53	1,718	1,391	1,432	2,047	2,456	2,175
Southern Wisconsin	54	36,036	36,064	36,019	40,254*	41,920	42,576
Northern Wisconsin	55	41,623	40,298	34,551	43,087*	49,687	52,059
Georgia and Florida Binder	56	-	86	180	-	14	18
Total Cigar-Binder	51-56	141,287	130,973	122,819	142,490*	156,529	162,821
Connecticut shade	61	16,793	17,345	17,874	14,592*	13,025	15,577
Georgia and Florida shade	62	10,921	8,715	8,211	10,733*	6,936	7,969
Total Cigar-wrapper	61-62	27,714	26,060	26,085	25,325*	19,961	23,546
Perique	72	702	965	786	834	859	969
Other Miscellaneous Domestic <sup>2/</sup>	73	1,066	1,296	1,439	1,123	1,043	979
Domestic Aromatic	77	626	-	-	611	618	628
Total Miscellaneous Domestic	72-77	2,394	2,261	2,225	2,568	2,520	2,576
Cuba (Havana) <sup>3/</sup>	81	17,116	15,089	18,853	16,564*	15,990	15,653
Sumatra and Java <sup>3/</sup> <sup>4/</sup>	82	656	853	350	544	444	595
Philippine Islands (Manila) <sup>3/</sup>	83	583	79	34	120	102	96
Other foreign-grown cigar leaf <sup>3/</sup>	84	26	49	43	31	32	42
Total Foreign-grown Cigar-leaf <sup>3/</sup>	81-84	18,381	16,070	19,280	17,259*	16,568	16,386
Foreign-grown cigarette & smoking tobacco (Turkish & other) <sup>3/</sup>	90	169,731	150,321	141,127	166,375*	179,817	172,336
Total all types	11-90	4,272,750	3,989,460	3,880,234	3,759,789*	3,573,234	3,941,906

<sup>1/</sup> For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for January 1, 1952 are as follows: Type 41, 110; Types 42-44, 112; Type 51, 107; Type 52, 106; Type 53, 111; Type 54, 106; Type 55, 107; Type 61, 109; Type 62, 112. January 1, 1952 figures subject to revision.

<sup>2/</sup> For explanation of stocks included in this classification, see footnote 5 on page 13.

<sup>3/</sup> Foreign-grown leaf is converted to an unstemmed equivalent basis only.

<sup>4/</sup> Does not include Sumatra and Java leaf stored in the Free Trade Zone.

\* Revisions in October 1, 1951 report.

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951  
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

Group	January 1, 1952 1/			October 1, 1951		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	3,172	30	3,202	2,170	35	2,205
B	141,156	39,727	180,883	81,134	22,868	104,002
C	72,160	59,698	131,858	57,746	40,415	98,161
X	176,374	127,360	303,734	144,649	97,363*	242,012*
S	4,759	7,542	12,301	3,926	6,965	10,891
N	9,602	2,352	11,954	4,205	1,372	5,577
Total	407,223	236,709	643,932	293,830	169,018*	462,848*

Type 12, Eastern North Carolina flue-cured

A	1,900	-	1,900	964	-	964
B	69,505	35,250	104,755	70,291	29,344	99,635
C	62,050	75,542	137,592	55,204	50,334	105,538
X	173,816	147,051	320,867	149,066	115,202	264,268
S	2,531	4,632	7,163	2,142	4,009	6,151
N	8,299	1,987	10,286	6,014	885	6,899
Total	318,101	264,462	582,563	283,681	199,774	483,455

Type 13, South Carolina flue-cured (including southeastern North Carolina)

A	1,302	1,152	2,454	835	-	835
B	55,039	19,560	74,599	49,648	17,260	66,908
C	47,084	45,944	93,028	58,394	43,205	101,599
X	116,350	84,701	201,051	118,344	86,196	204,540
S	1,617	2,317	3,934	1,056	1,807	2,863
N	6,457	797	7,254	3,955	763	4,718
Total	227,849	154,471	382,320	232,232	149,231	381,463

Type 14, Georgia and Florida flue-cured

B	17,806	13,900	31,706	23,494	15,603	39,097
C	2,327	62,117	64,444	2,819	56,481	59,300
X	12,120	74,410	86,530	10,180	92,566	102,746
S	758	2,123	2,881	1,509	1,998	3,507
N	1,379	776	2,155	1,465	749	2,214
Total	34,390	153,326	187,716	39,467	167,397	206,864

Types 11-14, Total flue-cured

A	6,374	1,182	7,556	3,969	35	4,004
B	283,506	108,437	391,943	224,567	85,075	309,642
C	183,621	243,301	426,922	174,163	190,435	364,598
X	478,660	433,522	912,182	422,239	391,327*	813,566*
S	9,665	16,614	26,279	8,633	14,779	23,412
N	25,737	5,912	31,649	15,639	3,769	19,408
Total	987,563	808,968	1,796,531	849,210	685,420*	1,534,630*

See footnotes at end of table.

Continued -

Table 3.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951 - Cont'd.  
(REPORTED WEIGHT)

Type 21, Virginia fire-cured

Group	January 1, 1952 1/			October 1, 1951		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	404	-	404	417	-	417
B	11,952	3	11,955	10,921	4	10,925
C	4,101	134	4,235	3,756	1	3,757
X	5,762	23	5,785	5,601	93	5,694
S	72	4	76	65	3	68
N	2	-	2	2	-	2
Total	22,293	164	22,457	20,762	101	20,863

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

A	4,445	38	4,483	4,150	39	4,189
B	40,351	403	40,754	44,224	245	44,469
C	4,228	80	4,308	6,025	83	6,108
X	26,579	1	26,580	28,781*	1	28,782*
S	941	43	984	923	8	931
N	2,595	-	2,595	2,595	-	2,595
Total	79,139	565	79,704	86,698*	376	87,074*

Type 23, Kentucky and Tennessee fire-cured (Western District)

A	168	-	168	172	-	172
B	13,563	4	13,567	15,939	5	15,944
C	2,678	3	2,681	3,713	12	3,725
X	7,585	16	7,601	8,571	16	8,587
S	513	1	514	512	-	512
N	1,422	-	1,422	1,422	-	1,422
Total	25,929	24	25,953	30,329	33	30,362

Type 24, Henderson Stemming

A	2	-	2	2	-	2
B	104	-	104	104	-	104
C	40	-	40	40	-	40
X	123	-	123	123	-	123
N	24	-	24	24	-	24
Total	293	-	293	293	-	293

Types 21-24, Total fire-cured

A	5,019	38	5,057	4,741	39	4,780
B	65,970	410	66,380	71,188	254	71,442
C	11,047	217	11,264	13,534	96	13,630
X	40,049	40	40,089	43,076*	110	43,186*
S	1,526	48	1,574	1,500	11	1,511
N	4,043	-	4,043	4,043	-	4,043
Total	127,654	753	128,407	138,082*	510	138,592*

See footnotes at end of table.

Continued --



Table 3.-Stocks of leaf tobacco, by types and groups of grades owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951 - Cont'd.  
(REPORTED WEIGHT)

Type 31, Burley

Group	January 1, 1952 1/			October 1, 1951		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,027	-	2,027	1,872	-	1,872
B (Bright)	83,038	68,993	152,031	64,122	50,689	114,811
B (Red)	44,419	8,370	52,789	32,194*	23,619	55,813*
T (Bright)	49,912	7,946	57,858	41,521	7,814	49,335
T (Red)	61,154	13,075	74,229	48,763	15,026	63,789
C	275,923	127,169	403,092	211,034	116,572	327,606
X	141,617	57,446	199,063	103,540	47,560	151,100
S	4,611	7,116	11,727	4,981	6,803	11,784
N	4,876	994	5,870	4,361	1,160	5,521
Total	667,577	291,109	958,686	512,388*	269,243	781,631*

Type 31-V, Low-Nicotine

Total	264	241	505	323	246	569
-------	-----	-----	-----	-----	-----	-----

Type 32, Southern Maryland

B	16,239	2	16,241	16,639	6	16,645
C	13,214	12,195	25,409	15,476	14,155	29,631
X	5,236	720	5,956	5,658	318	5,976
S	342	691	1,033	358	768	1,126
N	4,674	13	4,687	4,316	13	4,329
Total	39,705	13,621	53,326	42,447	15,260	57,707

Type 33, One Sucker

A	1,250	-	1,250	1,151	-	1,151
B	13,430	13	13,443	13,001*	5	13,006*
C	7,081	-	7,081	5,575	-	5,575
X	12,355	505	12,860	11,193	534	11,727
S	571	42	613	418	82	500
N	2,242	136	2,378	2,384	167	2,551
Total	36,929	696	37,625	33,722*	788	34,510*

Type 36, Green River

A	35	-	35	70	-	70
B	13,608	214	13,822	13,560	212	13,772
C	4,300	-	4,300	2,973	2	2,975
X	6,413	635	7,048	8,005	709	8,714
S	83	1	84	82	45	127
N	3,296	136	3,432	1,216	166	1,382
Total	27,735	986	28,721	25,906	1,134	27,040

Type 37, Virginia sun-cured

A	214	-	214	206	-	206
B	734	47	781	679	50	729
C	345	17	362	271	18	289
X	1,000	253	1,253	850	250	1,100
S	69	1	70	63	1	64
Total	2,362	318	2,680	2,069	319	2,388



Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951 - Cont'd.  
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

Group	January 1, 1952 1/			October 1, 1951		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,499	-	1,499	1,427	-	1,427
F	27,772	274	28,046	27,240*	267	27,507*
C	11,726	17	11,743	8,819	20	8,839
X	19,768	1,393	21,161	20,048	1,493	21,541
S	723	44	767	563	128	691
N	5,538	272	5,810	3,600	333	3,933
Total	67,026	2,000	69,026	61,697*	2,241	63,938*

Type 41, Pennsylvania Seedleaf

B	11,494	530	12,024	3,317*	6	3,323*
C	65,912	2,505	68,417	83,099	2,643	85,742
X	13,656	408	14,064	16,888	499	17,387
Y	7,117	343	7,460	8,397	308	8,705
S	22	1,093	1,115	67*	1,012*	1,079*
N	-	2	2	-	2	2
Total	98,201	4,881	103,082	111,768*	4,470*	116,238*

Types 42-44, Ohio Filler (Miami Valley)

C	17,127	438	17,565	18,679	111	18,790
X	5,140	37	5,177	6,426	337	6,763
Y	1,322	752	2,074	918	727	1,645
S	96	118	214	16	101	117
N	-	5	5	-	3	3
Total	23,685	1,350	25,035	26,039	1,279	27,318

Type 46, Puerto Rican (In Continental United States)

C	650	9,815	10,465	9	9,049*	9,058*
X	4,080	432	4,512	3,904	533	4,437
Y	441	9	450	421	17	438
S	23	1,125	1,148	6	1,056	1,062
N	4	6	10	-	-	-
Total	5,198	11,387	16,585	4,340	10,655*	14,995*

Type 46, Puerto Rican (In Puerto Rico)

C	2,892	1,546	4,438	8,815	1,104	9,919
X	1,482	800	2,282	3,810	788	4,598
Y	5,129	278	5,407	6,874	144	7,018
S	162	404	566	193	204	397
N	276	4	280	370	-	370
Total	9,941	3,032	12,973	20,062	2,240	22,302

Type 46, Total Puerto Rican

C	3,542	11,361	14,903	8,824	10,153*	18,977*
X	5,562	1,232	6,794	7,714	1,321	9,035
Y	5,570	287	5,857	7,295	161	7,456
S	185	1,529	1,714	199	1,260	1,459
N	280	10	290	370	-	370
Total	15,139	14,419	29,558	24,402	12,895*	37,297*

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951 - Cont'd.  
(REPORTED WEIGHT)

Type 51, Connecticut Valley Broadleaf

Group	January 1, 1952 1/			October 1, 1951		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	1,767	13	1,780	2,112	2	2,114
B	22,919	99	23,018	21,499*	57	21,556*
C	384	-	384	322	-	322
X	3,509	116	3,625	3,425	135	3,560
S	34	293	327	-	189*	189*
N	12	-	12	25	2	27
Total	28,625	521	29,146	27,383*	385*	27,768*

Type 52, Connecticut Valley Havana Seed

A	1,237	2	1,239	1,124	1	1,125
P	23,327	87	23,414	20,626*	99	20,725*
C	1,207	45	1,252	92	-	92
X	2,642	59	2,701	3,553	100	3,653
S	39	89	128	4	44	48
N	13	-	13	-	8	8
Total	28,465	282	28,747	25,399*	252	25,651*

Type 53, New York and Pennsylvania Havana Seed

B	941	1	942	1,112	-	1,112
X	459	32	491	502	-	502
S	41	32	73	189	16	205
N	18	-	18	-	2	2
Total	1,459	65	1,524	1,803	18	1,821

Type 54, Southern Wisconsin

B	5,844	3	5,847	6,480	14	6,494
C	226	9	235	242*	8	250*
X	23,265	3,558	26,823	26,417	3,360	29,777
S	1	15	16	1	337	338
Total	29,336	3,585	32,921	33,140*	3,719	36,859*

Type 55, Northern Wisconsin

B	17,692	98	17,790	17,359*	110*	17,469*
C	16	50	66	55	49	104
X	19,305	891	20,196	21,066	1,072	22,138
S	11	368	379	19*	96	115*
Total	37,024	1,407	38,431	38,499*	1,327*	39,826*

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951 - Cont'd.  
(REPORTED WEIGHT)

Type 61, Connecticut Shade

Group	January 1, 1952 1/			October 1, 1951		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	14,231	1	14,232	12,282*	12	12,294*
B	783	3	786	692	7	699
C	213	4	217	164	-	164
S	8	132	140	34	57	91
Total	15,235	140	15,375	13,172*	76	13,248*

Type 62, Georgia and Florida Shade

A	9,557	12	9,569	9,698*	110	9,808*
B	109	-	109	57	-	57
C	2	-	2	3	-	3
S	-	47	47	-	27	27
N	-	10	10	3	10	13
Total	9,668	69	9,737	9,761*	147	9,908*

SUMMARY ALL CIGAR TOBACCO 2/

JANUARY 1, 1952

Group	Filler	Binder	Wrapper	Foreign	Total
	Types	Types	Types	Types	
	41-46 3/	51-56	61-62	81-84 4/	
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	-	3,019	23,801	1,251	28,071
B	12,024	71,011	895	-	83,930
C	100,885	1,937	219	9,366	112,407
X	26,035	53,836	-	-	79,871
Y	15,391	-	-	-	15,391
S	3,043	923	187	5,846	9,999
N	297	43	10	-	350
Total	157,675	130,769	25,112	16,463	330,019

OCTOBER 1, 1951

A	-	3,239	22,102*	996*	26,337*
B	3,323*	67,356*	756	-	71,435*
C	123,509*	768*	167	8,796*	133,240*
X	33,185	59,630	-	-	92,815
Y	17,806	-	-	-	17,806
S	2,655*	895*	118	5,421*	9,089*
N	375	37	13	-	425
Total	180,853*	131,925*	23,156*	15,213*	351,147*

See footnotes at end of table.

Continued -



Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951 - Cont'd.  
(REPORTED WEIGHT)

Type 72, Perique

Group	January 1, 1952 1/				October 1, 1951		
	Unstemmed	Stemmed	Total		Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.		1,000 lb.	1,000 lb.	1,000 lb.
Total	-	633	633		-	574	574

Type 73, Other miscellaneous domestic 5/

Total	282	522	804		320	533	853
-------	-----	-----	-----	--	-----	-----	-----

Type 77, Domestic Aromatic 6/

Total	573	1	574		561	-	561
-------	-----	---	-----	--	-----	---	-----

Types 72-77, Total miscellaneous domestic

Total	855	1,156	2,011		881	1,107	1,988
-------	-----	-------	-------	--	-----	-------	-------

Type 81, Cuba (Havana)

A	529	79	608		489*	44	533*
C	2,782	5,984	8,766		2,130*	6,515*	8,645*
S	2,619	3,220	5,839		2,040*	3,321*	5,361*
Total	5,930	9,283	15,213		4,659*	9,880*	14,539*

Type 82, Sumatra and Java 7/

A	619	24	643		449	14	463
C	-	-	-		-	5	5
S	-	7	7		-	60	60
Total	619	31	650		449	79	528

Type 83, Philippine Islands (Manila)

C	543	33	576		103	14	117
Total	543	33	576		103	14	117

Type 84, Other foreign-grown cigar-leaf

Total	16	8	24		21	8	29
-------	----	---	----	--	----	---	----

Type 90, Foreign-grown cigarette and smoking tobacco (Turkish and other)

Total	169,731	-	169,731		156,375*	-	166,375*
-------	---------	---	---------	--	----------	---	----------

Types 11-90, Total all types

Total	2,354,320	1,153,922	3,508,242		2,088,001*	1,008,576*	3,096,577*
-------	-----------	-----------	-----------	--	------------	------------	------------

See footnotes at end of table.

Continued -



Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1952, compared with October 1, 1951 - Cont'd.  
(REPORTED WEIGHT)

- 1/ Subject to revision.
  - 2/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.
  - 3/ Includes Puerto Rican on the Island, Type 46.
  - 4/ Type 84.-Other foreign-grown all shown in the C group.
  - 5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
  - 6/ Type 77.-Domestic Aromatic formerly reported under Type 73.
  - 7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.
- \* Revisions in October 1 report.

Table 4.-Stocks of leaf tobacco by types, showing separately quantities owned by dealers and manufacturers, January 1, 1952 compared with January 1, 1951 <sup>1/</sup>

# REPORTED WEIGHT

U.S. type number	Reported as owned by manufacturers <sup>2/</sup>			Reported as owned by dealers <sup>2/</sup>			Combined totals		
	January 1, 1952			January 1, 1952			January 1, 1951		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11	260,460	218,468	478,928	498,355	146,763	18,241	165,004	131,899	643,932
12	211,764	250,931	462,695	435,830	106,337	13,531	119,868	89,899	582,563
13	146,160	144,094	290,254	291,924	81,689	10,377	92,066	54,999	382,320
14	4,401	141,685	146,086	139,055	29,989	11,641	41,630	24,808	187,716
11-14	622,785	755,178	1,377,963	1,365,164	364,778	53,790	418,568	301,605	1,796,531
21	13,102	161	13,263	11,900	9,191	3	9,194	7,489	22,457
22	45,560	508	46,068	48,495	33,579	57	33,636	33,201	79,704
23	9,372	18	9,390	10,184	16,557	6	16,563	30,572	25,953
24	-	-	-	-	293	-	293	308	293
21-24	68,034	687	68,721	70,579	59,620	66	59,686	71,570	128,407
31	545,837	284,372	830,209	798,128	121,740	6,737	128,477	119,045	958,686
31-V	264	241	505	587	-	-	-	-	505
32	16,836	13,595	30,431	32,113	22,869	26	22,895	15,432	53,326
31-32	562,937	298,208	861,145	830,828	144,609	6,763	151,372	134,477	1,012,517
35	16,696	634	17,330	18,681	20,233	62	20,295	16,892	37,625
36	15,930	986	16,916	17,228	11,805	-	11,805	11,492	28,721
37	2,145	315	2,460	2,467	217	3	220	211	2,680
35-37	34,771	1,935	36,706	38,376	32,255	65	32,320	28,595	69,026
41	82,989	4,620	87,609	86,288	15,212	261	15,473	7,442	103,082
42-44	18,056	1,309	19,365	21,193	5,629	41	5,670	2,112	25,035
46 3/	5,247	11,680	16,927	19,076	9,892	2,739	12,631	13,045	29,558
41-46	106,292	17,609	123,901	126,557	30,733	3,041	33,774	22,599	157,675
51	22,205	456	22,661	18,326	6,420	65	6,485	7,452	29,146
52	19,803	235	20,038	18,948	8,662	47	8,709	4,916	28,747
53	1,417	64	1,481	1,226	42	1	43	16	1,524
54	24,982	3,474	28,456	29,212	4,354	111	4,465	3,846	32,921
55	31,101	1,076	32,177	31,290	5,923	331	6,254	5,952	38,431
56	-	-	-	43	-	-	-	26	-
51-56	99,508	5,305	104,813	99,045	25,401	555	25,956	22,208	130,769
61	8,297	140	8,437	8,961	6,938	-	6,938	7,016	15,375
62	5,231	30	5,261	3,590	4,437	39	4,476	4,053	9,737
61-62	13,528	170	13,698	12,551	11,375	39	11,414	11,069	25,112
72	-	383	383	395	-	250	250	269	633
73 4/	249	501	750	835	33	21	54	189	804
77	336	1	337	-	237	-	237	-	574
72-77	585	885	1,470	1,230	270	271	541	458	2,011
81	5,761	8,929	14,690	12,647	169	354	523	593	15,213
82 5/	599	7	606	747	20	24	44	103	650
83	543	25	568	59	-	8	8	16	576
84	-	-	-	11	16	8	24	36	24
81-84	6,903	8,961	15,864	13,464	205	394	599	748	16,463
90	165,885	-	165,885	143,305	3,846	-	3,846	7,016	169,731
11-90	1,681,228	1,088,938	2,770,166	2,701,099	673,092	64,984	738,076	600,345	3,508,242

<sup>1/</sup> These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

<sup>2/</sup> The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

<sup>3/</sup> Includes stocks on the Island of Puerto Rico.

<sup>4/</sup> For explanation of stocks included in this classification see footnote 5 on page 13.

<sup>5/</sup> Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 5.-Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, January 1, 1952 compared with other quarters 1/

# REPORTED WEIGHT

Type name	U.S. type number	January 1, 1952 2/			October 1, 1951	January 1, 1951	October 1, 1950
		Unstemmed	Stemmed	Total			
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured	11	407,223	236,709	643,932	462,848*	630,254	479,686
Eastern North Carolina flue-cured	12	318,101	264,462	582,563	483,455	525,729	461,823
South Carolina flue-cured (including Southeastern N.C.)	13	227,849	154,471	382,320	381,463	346,923	359,535
Georgia and Florida flue-cured	14	34,390	153,326	187,716	206,864	163,863	179,691
Total Flue-cured	11-14	987,563	808,968	1,796,531	1,534,630*	1,666,769	1,480,735
Virginia fire-cured	21	22,293	164	22,457	20,863	19,389	19,353
Tennessee and Kentucky fire-cured (Eastern District)	22	79,139	565	79,704	87,074*	81,696	91,796
Kentucky and Tennessee fire-cured (Western District)	23	25,929	24	25,953	30,362	40,756	44,069
Henderson Stemming	24	293	-	293	293	308	307
Total Fire-cured	21-24	127,654	753	128,407	138,592*	142,149	155,525
Burley	31	667,577	291,109	958,686	781,631*	917,173	815,611
Low-nicotine	31-V	264	241	505	569	587	595
Southern Maryland	32	39,705	13,621	53,326	57,707	47,545	53,797
Total Light Air-cured	31-32	707,546	304,971	1,012,517	839,907*	965,305	870,003
One Sucker	35	36,929	696	37,625	34,510*	35,573	38,062
Green River	36	27,735	986	28,721	27,040	28,720	30,409
Virginia sun-cured	37	2,362	318	2,680	2,388	2,678	2,603
Total Dark Air-cured	35-37	67,026	2,000	69,026	63,938*	66,971	71,074
Pennsylvania Seedleaf	41	98,201	4,881	103,082	116,238*	93,730	105,516
Ohio Filler (Miami Valley)	42-44	23,685	1,350	25,035	27,318	23,305	24,276
Puerto Rican:							
In United States	46	5,198	11,387	16,585	14,995*	20,863	19,129
In Puerto Rico	46	9,941	3,032	12,973	22,302	11,258	19,684
Total Cigar-Filler	41-46	137,025	20,650	157,675	180,853*	149,156	168,605
Connecticut Valley Broadleaf	51	28,625	521	29,146	27,768*	25,778	25,777
Connecticut Valley Havana Seed	52	28,465	282	28,747	25,651*	23,864	23,221
New York and Pa. Havana Seed	53	1,459	65	1,524	1,821	1,242	1,365
Southern Wisconsin	54	29,336	3,585	32,921	36,859*	33,058	36,772
Northern Wisconsin	55	37,024	1,407	38,431	39,826*	37,242	38,115
Georgia and Florida Binder	56	-	-	-	-	69	56
Total Cigar-Binder	51-56	124,909	5,860	130,769	131,925*	121,253	125,306
Connecticut shade	61	15,235	140	15,375	13,248*	15,977	12,424
Georgia and Florida shade	62	9,668	69	9,737	9,908*	7,643	8,658
Total Cigar-Wrapper	61-62	24,903	209	25,112	23,156*	23,620	21,082
Perique	72	-	633	633	574	664	521
Other Miscellaneous Domestic 3/	73	282	522	804	853	1,024	1,110
Domestic Aromatic	77	573	1	574	561	-	-
Total Miscellaneous Domestic	72-77	855	1,156	2,011	1,988	1,688	1,631
Cuba (Havana)	81	5,930	9,283	15,213	14,539*	13,240	14,235
Sumatra and Java 4/	82	619	31	650	528	850	926
Philippine Islands (Manila)	83	543	33	576	117	75	176
Other foreign-grown cigar-leaf	84	16	8	24	29	47	40
Total Foreign-grown Cigar-leaf	81-84	7,108	9,355	16,463	15,213*	14,212	15,377
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	169,731	-	169,731	166,375*	150,321	141,701
Total all types	11-90	2,354,320	1,153,922	3,508,242	3,096,577*	3,301,444	3,051,039

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1951, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ For explanation of stocks included in this classification see footnote 5 on page 13.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

\* Revisions in October 1, 1951 report.

